




Der G Sub 1801 ist ein universeller 18" Hochleistungssubwoofer mit Truckmaß-Abmessungen. Mit 58 x 78 cm Grundmaß kann er kippsicher auch größere HiMid-Systeme im Stangenbetrieb aufnehmen. Mechanisch und akustisch ist er mit dem G Sub 1802 und Galeo C Sub kompatibel und kann daher vielfältig mit diesen kombiniert werden. Er überzeugt mit sehr gutem Handling und einer ungewöhnlich präzisen und gleichzeitig tiefreichenden Basswiedergabe.

PRODUCT SPECIFICATIONS

Speaker Components	18" Nd (4,5" VC)
Description	Passive Bass Extension
Power AES / Peak	1500 W / 4500 W
Impedance nominal	8 Ω
SPL 1 W / Peak @ 1 m	101 dB / 138 dB
Usable Range	30 Hz - 200 Hz (-6 dB)
Tuning Frequency excursion minimum	36 Hz
Connectors	3 x Neutrik Speakon NL4 in/out Coding (2x): 1+/- loop thru, 2+/- Sub Coding (1x): 1+/- Sub, 2+/- loop thru
Handles	6 x
Rigging / Fittings	M20 on top Wheelboard fittings
Weight	45 kg (+ 8 kg wheelboard)
Size height x width x depth	58,0 x 58,0 x 78,0 cm
Order No.	00630



DIMENSIONS



APPLICATION




G 3 + G Sub 1801


2 x Galeo C + G Sub 1801

MEASUREMENTS

Frequency Response with Presets



Sensitivity 1 W @ 1 m + Impedance



ACCESSORIES G Sub 1801

Speaker Pole

M20, with crank, K&M
Order No. **03023**



Wheelboard

for G Sub 1801 / Galeo C Sub,
also usable as Dolly,
stackable, 8,0 kg
Order No. **01268**



Dolly

for G Sub 1801 / Galeo C Sub,
up to 3 units, 80 x 60 cm
Order No. **01268/Dolly**



Twin Dolly

for up to 6 x G Sub 1801 /
3 x G Sub 1802 / 6 x Galeo C Sub,
118 x 60 cm
Order No. **01273/Dolly**



Cover

for G Sub 1801 / Galeo C Sub
by using wheelboard
Order No. **01234/C**

